

UCLA

UCLA Previously Published Works

Title

Response to "in regard to "Tran A, Zhang J, Woods K, Yu V, Nguyen D, Gustafson G, Rosen L, Sheng K. Treatment planning comparison of IMPT, VMAT and 4π radiotherapy for prostate cases"".

Permalink

<https://escholarship.org/uc/item/8r25m4qk>

Journal

Radiation oncology (London, England), 13(1)

ISSN

1748-717X

Author

Sheng, Ke

Publication Date

2018-04-01

DOI

10.1186/s13014-018-1010-5

Peer reviewed

LETTER TO THE EDITOR

Open Access



Response to “in regard to “Tran A, Zhang J, Woods K, Yu V, Nguyen D, Gustafson G, Rosen L, Sheng K. Treatment planning comparison of IMPT, VMAT and 4π radiotherapy for prostate cases””

Ke Sheng

Abstract

In regard to our recently published paper entitled “Treatment planning comparison of IMPT, VMAT and 4π radiotherapy for prostate cases”, a question was raised whether “ 4π ” was used appropriately to describe the non-coplanar planning and delivery space. In this letter, the term use is explained from both theoretical and practical perspectives. It is concluded that the self-explanatory term provides a flexible description of non-coplanar radiotherapy with beam orientation optimization. Confusions with this term can be avoided by understanding the evolving and machine/patient specific nature of 4π planning,

Keywords: 4π , Non-coplanar radiotherapy, Treatment planning, Optimization

Letter to the Editor:

Recently, Dr. Sarkar questioned our use of “ 4π ” to describe non-coplanar external beam radiotherapy. This discussion brought the much needed attention to this topic. However, I disagree with his conclusion that 4π should not be used to describe non-coplanar radiotherapy for the following reasons.

1. Dr. Sarkar’s assessment of the solid angles is mathematically incorrect. Without considering collision, Dr. Sarkar estimated the theoretical accessible solid angles based on the observation for a typical C-arm linac that the gantry has 360° access while the couch only has 180° access. The observation is correct but Dr. Sarkar neglected the symmetry of the C-arm gantry geometry and the additional freedom of combining the gantry and couch rotation. In fact, the couch only needs 180° rotation to provide the full 4π access. Figure 1 shows such a complete surface for a theoretical 4π

treatment. One can visualize how the entire 4π solid angle is covered with the combination of 180° couch and 360° gantry rotation.


2. Even with the collision consideration, the angles that can be safely accessed for head or foot treatment is significantly larger than a hemisphere. One can consider a typical brain treatment where not only the superior angles are accessible, some of the inferior oblique angles are also available by rotating the gantry towards the patient torso while the couch is rotated. It is true that the solid angle for body treatment is more limited such as the left lung treatment shown in Fig 2a. When the source-to-isocenter distance is limited to 100 cm, the feasible angles shown in Fig 2c is limited. However, the accessible non-coplanar beam angles can be expanded by allowing source-to-isocenter distances greater than 100 cm. An example is shown in Fig. 2b using the validated geometrical modeling method described previously [1]. With the extended distances, approximately 70% of the 4π surfaces are covered for a left lung treatment. Note that a

Correspondence: ksheng@mednet.ucla.edu

Department of Radiation Oncology, University of California, Los Angeles, 200 Medical Plaza, Suite B265, Los Angeles, CA 90095, USA



© The Author(s). 2018 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.




portion of the missing non-coplanar surface is caused by the couch pedestal occlusion.

- Dr. Sarkar calculated the spherical surface covered by a $40\text{ cm} \times 40\text{ cm}$ field in a 360° arc. He then argued that the actual solid angle is much smaller due to the smaller actual field sizes. This is a misunderstanding of 4π treatment planning, which indicates the freedom of *selecting* beams from the 4π solid angles instead of *using all* beams in a single plan.
- There is a benefit of keeping 4π as an open software and hardware platform to encourage and incorporate future development. The mechanical restrictions to approach 4π solid angles are neither insurmountable nor static. Extended source-to-isocenter distances are readily achievable with existing C-arm platforms, although additional quality assurance and

commissioning may be needed to safely use this mode. Robotic couches that are being introduced in the radiation oncology clinic [2] will certainly further expand the non-coplanar angle access if not enabling the full 4π solid angles. CyberKnife has limited posterior beam access but nothing fundamental prevents the next generation robotic linacs to gain access these angles.

- Finally, there is a beauty in the nomenclature. 4π is not a typical undecipherable acronym that one has to look up. It is simple yet self-explanatory. Different from the conventional term of “non-coplanar radiotherapy”, it emphasizes the ability of automated beam orientation optimization in the non-coplanar solution space. It reflects continuously evolving effort in planning algorithms and delivery platforms advance radiotherapy dosimetry.



Acknowledgements

Not applicable.

Funding

The data presented in this letter was acquired with the support including NIH R44CA183390, R43CA183390, R21CA161670 and DOE DE-SC0017057.

Availability of data and supporting materials

Please contact author for data requests.

Author's contribution

KS conceived of, drafted, revised and approved the letter.

Ethics approval and consent to participate

The study is approved by UCLA Internal Review Board (IRB) #12-001882.

Consent for publication

The letter shows the surfaces of a human subject (the author), who agrees to the publication of the letter.

Competing interests

The author declares that he has no competing interests.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 16 March 2018 Accepted: 26 March 2018

Published online: 13 April 2018

References

1. Yu VY, Tran A, Nguyen D, et al. The development and verification of a highly accurate collision prediction model for automated noncoplanar plan delivery. *Med Phys*. 2015;42:6457–67.
2. Baumeyer J, Vieyres P, Miossec S, et al: Robotic co-manipulation with 6 DoF admittance control: application to patient positioning in proton-therapy. 2015 IEEE international workshop on advanced robotics and its social impacts (Arso), 2015.

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at
www.biomedcentral.com/submit

